



ClicTM PANEL BLIND SYSTEM

EXCLUSIVE Blind Manufacturer in Australia & New Zealand



Blinds by *Boronia*

(02) 9838 1442 | info@blindsbb.net | www.blindsbyboronia.com.au



PANEL BLIND SYSTEM

EXCLUSIVE Blind Manufacturer in Australia & New Zealand






Advantages of the CLIC Panel Blind system

- Outstanding and noiseless gliding properties and high carrying strength (up to 11 kg).
- Durable, long-lasting quality.
- UV-resistant and UV-stabilised.
- 2 Track lengths available. 6.0mtr & 4.0mtr track length with a track depth of 65mm allowing panel width of 400-800mm per panel giving a 50-100mm overlap.
- Top or face fixing.
- Track colours available in white / birch / oyster / snow / black.
- Pocket or Hook & Loop fixing applications
- Hand or wand traverse.
- Patented Swiss design.
- Saves time and therefore money through faster fitting at the customer's premises.
- Less complaints and repair expense thanks to absolute top quality.
- Satisfied customers through quality and easy handling
- Less components to carry. One track profile does it ALL.
- No child safety issues, child safe blind system.




Blinds by **Boronia**


CLIC Panel Blind System

	Code	Description	Package Type
	C13281	Aluminium Panel - Top Bar - Pocket	Pack (Pack)
		Finish/Material: Anodised High Quality Aluminium	
		10 Lengths Per Pack	
	C13282	Aluminium Panel - Top Bar - Hook & Loop	Pack (Pack)
		Finish/Material: Anodised High Quality Aluminium	
		Use with Loop Tape (CP.HLT-50)	
		10 Lengths Per Pack	
	C13287	Metal Hook	Bag (Bag)
		Finish/Material: High quality Stainless Steel	
		Guidelines: Two Hooks per Panel	
		100 pieces per bag	
	C13288	Metal Hook	Bag (Bag)
		Finish/Material: High quality Stainless Steel	
		Guidelines: Two Hooks per Panel	
		1000 pieces per bag	
	C13289	Carrier (Chain Connector)	Bag (Bag)
		Finish/Material: White UV protected POM plastic	
		Guidelines: One carrier per panel	
		100 pieces per bag	
	C13290	Carrier (Chain Connector)	Bag (Bag)
		Finish/Material: White UV protected POM plastic	
		Guidelines: One carrier per panel	
		1000 pieces per bag	

CLIC Panel Blind System (continued)



Code	Description	Package Type
C13297	Connecting Chain	Roll (Roll)
	Finish/Material: Strong chain with white balls	
	250mtrs per roll	



C13298	Hook & Loop Tape	Roll (Roll)
	Finish/Material: White sew-on loop tape 25mm	
	50mtrs per roll	



C13285	Maxi Gliders	Box (Box)
	Finish/Material: White UV protected POM plastic	
	100 per box	

C13286	Maxi Gliders	Box (Box)
	Finish/Material: White UV protected POM plastic	
	1000 per box	



C13283-WHITE	CLIC Track	Pack (Pack)
--------------	------------	-------------

C13309-SNOW	Two Channel Track - 6.0mtrs
-------------	-----------------------------

C13310-BIRCH	Available Colours: White, Snow, Birch, Oyster and Black
--------------	---

C13303-OYSTER	8 Lengths per pack
---------------	--------------------

C13304-BLACK

C13284-WHITE	CLIC Track	Pack (Pack)
--------------	------------	-------------







C13305-SNOW	Two Channel Track - 4.0mtrs
-------------	-----------------------------

C13306-BIRCH	Available Colours: White, Snow, Birch, Oyster and Black
--------------	---

C13307-OYSTER	8 Lengths per pack
---------------	--------------------

C13308-BLACK

CLIC Panel Blind System (continued)

	Code	Description	Package Type
	C13293-WHITE	End Caps	Bag (Bag)
	C13294-CREAM	Finish/Material: UV protected POM plastic	
	C13295-GREY	Colours Available: White, Cream, Grey & Black	
	C13300-BLACK	200 pieces per bag	
		Guidelines: One model fits left and right ends	
	C13291-100	Stop	Carton (Carton)
	C13292-1000	Finish/Material: Transparent, plastic	Bag (Bag)
		Used as a stop and intermediate stop in the Head rail/track, no tools necessary	
		100 pieces per carton / 1000 pieces per bag	
	C13296	Brackets for Track	Bag (Bag)
		Finish/Material: Silver, Spring Steel	
		Guidelines: Snap on, recommended every 50-70cms	
		200 pieces per bag	
	C13299	Wand Ring	Bag (Bag)
		200 pieces per bag	
	C13152-WHITE	Wand Hook	Bag (Bag)
	C15153-BIRCH	500 pieces per bag	
	C15154-GREY		
	C15155-BLACK		
	C15156-WHITE	Wand Knob	Bag (Bag)
	C15156-BIRCH	500 pieces per bag	
	C15157-GREY		
	C15158-BLACK		

CLIC Panel Blind System (continued)



Code	Description	Package Type
C13160-WHITE	Fluted Wands	Pack (Pack)
C13161-BIRCH	Aluminium 3mtr Length	
C13162-OYSTER	Colours Available: White, Birch, Oyster & Black	
C13163-BLACK	50 Lengths per pack	





C12450	Silicone Spray	Carton (Carton)
	Helmar 400	
	12 Cans per Carton	

Please see our separate instruction page for assembly guidelines

Clic™

'Clic panel curtain system with hook-and-loop tape



Instructions

- Push hook **C** including 'Clic glider **D** firmly into the top bar **A** on both sides.
- Press panel with knitevelours onto the top bar **A**.
- Insert weight bar **B** into the bottom slot.
- Click every panel into the curtain tracks (one side in the first channel, the other side in the second channel).
- To take the panels down, slide the two 'Clic gliders **D** through the opening in the curtain channels.

Connecting the panels

- Connect the panels with the ball chain **F** by inserting the connecting hook **E** into the eyelet of the 'Clic glider **D**, window side.
- The part of the ball chain **F** hanging down can be used to pull the panels.

Tip: You may use a sliding rod (wand) by inserting it into the eyelet of an additional 'Clic glider. Connect the 'Clic glider with a connecting hook to the ball chain.

Suggestions for Sewing

Preparation

We suggest you make the finished fabric 1 cm wider than the top bar. Make the seams on the sides of the panel between 0.5 and 1 cm.


Important: Cut straight along the thread.

Sewing the knitevelours **1**

Sew the knitevelours on the back of the panel. To narrow the gap between top bar and the tracks, we suggest you use a knitevelours tape of 2.5 cm.

Slot for weight profile **3**

Make the seam 3 cm high and close both ends. But leave a 4 cm slot on the top side of the seam. To be able to close the ends, we recommend you to cut the weight profile 1 cm shorter than the top bar.





Blinds by *Boronia*

(02) 9838 1442 | info@blindsbb.net | www.blindsbyboronia.com.au